

CALSITHERM Klimaplatte-SILCA-SILCAL-SILCAPAN-MICROCAL

Version number: 4.2
Replaces version of: 2014-11-19 (4)

Revision: 2019-06-07
First version: 2009-09-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name CALSITHERM® Klimaplatte-WF, -F
 SILCA® 170SB / 200 / 250 / 250SB / 250KM
 SILCA® BT50
 SILCA® T300, SILCA T500
 SILCAL® 900 / 1000 / 1100 / 900MD
 SILCAPAN 500
 MICROCAL® 1100

Registration number (REACH) not relevant (article)

CAS number not relevant (article)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Mineral thermal insulation panels

1.3 Details of the supplier of the safety data sheet

CALSITHERM Silikatbaustoffe GmbH Telephone: +49 (0)5254 99092-0
 An der Eiche 15 Telefax: +49 (0)5254 99092-17
 D-33175 Bad Lippspringe e-mail: info@calsitherm.de
 Germany Website: www.calsitherm.de

CALSITHERM International GmbH
 An der Eiche 15
 33175 Bad Lippspringe

SILCA Service- und Vertriebsgesellschaft für telephone: +49(0) 2104 9727-0
 Dämmstoffe mbH telefax: +49(0) 2104 9727-25
 Auf dem Hüls 6 e-Mail: reach@silca-online.de
 40822 Mettmann website: www.silca-online.de

SILCA Italia srl telephone:+39 (041) 584 122 0
 Via Mattei 5/11 telefax: +39 (041) 447 130
 30037 Scorze (VE) e-mail: info@silca-italia.it
 Italia website: www.silca-italia.it

e-mail (competent person) sdb@csb-online.de

Please do not use this e-mail adress to ask for the latest safety data sheet. For this purpose contact CALSITHERM Silikatbaustoffe GmbH.

National contact +49 (0)5254 99092-30 / -20

1.4 Emergency telephone number

As above or next toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

2.3 Other hazards

Inhalation of dust may cause respiratory irritation.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (article)

3.2 Mixtures

Not relevant (article).

Constituents						
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Specific Conc. Limits	M-Factors
calciumsilicate	CAS No 1344-95-2 EC No 215-710-8	≥ 90				
cellulose	CAS No 9004-34-6 EC No 232-674-9	3 - < 10				

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

(Dust) Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

(Dust) Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

No exposure expected.

Notes for the doctor

none

4.2 Most important symptoms and effects, both acute and delayed

These information are not available.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

use suitable breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ventilate affected area.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

take up mechanically

Advices on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

None.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

vibration, strong shocks

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)					
Country	Name of agent	Identifier	TWA [mg/m ³]	Notation	Source
GB	dust	WEL	10	i	EH40/2005
GB	dust	WEL	4	r	EH40/2005
GB	calcium silicate	WEL	10	i	EH40/2005
GB	calcium silicate	WEL	4	r	EH40/2005
GB	cellulose	WEL	10	i	EH40/2005
GB	cellulose	WEL	4	r	EH40/2005

Notation

i inhalable fraction

r respirable fraction

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
calciumsilicate	1344-95-2	DNEL	4 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
calciumsilicate	1344-95-2	PNEC	4 mg/l	freshwater

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Dust-Development: Use safety goggle with side protection.

Hand protection

Wear suitable gloves (Substance, Leather)

Respiratory protection

In case of inadequate ventilation wear respiratory protection.
Particulate filter device (EN 143).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Form	planes
Colour	light grey
Odour	odourless
Odour threshold	these information are not available

Other safety parameters

pH (value)	9 – 11 (water: 100 g/l, 20 °C)
------------	--------------------------------

Melting point/freezing point	1,500 °C
Initial boiling point and boiling range	these information are not available
Flash point	not applicable
Evaporation rate	these information are not available
Flammability (solid, gas)	non-combustible
Explosion limits of dust clouds	not determined
Vapour pressure	these information are not available
Density	150 – 550 kg/m ³ at 20 °C
Vapour density	these information are not available
Relative density	these information are not available
Solubility(ies)	
Water solubility	insoluble
Partition coefficient	
n-octanol/water (log KOW)	these information are not available
Auto-ignition temperature	not relevant (Solid matter)
Relative self-ignition temperature for solids	these information are not available
Decomposition temperature	these information are not available
Viscosity	
Kinematic viscosity	not relevant (solid matter)
Dynamic viscosity	not relevant (solid matter)
Explosive properties	not explosive
Oxidising properties	shall not be classified as oxidising

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

If not otherwise specified the classification is based on:
Ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
calciumsilicate	1344-95-2	oral	LD50	>5,000 mg/kg	rat
calciumsilicate	1344-95-2	dermal	LD50	>5,000 mg/kg	rabbit
calciumsilicate	1344-95-2	inhalation: dust/mist	LC50	≥58.8 mg/l/4h	rat
cellulose	9004-34-6	oral	LD50	>5,000 mg/kg	rat
cellulose	9004-34-6	dermal	LD50	>2,000 mg/kg	rabbit
cellulose	9004-34-6	inhalation: dust/mist	LC50	>5.8 mg/l/4h	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Skin sensitisation

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory sensitisation

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Reproductive toxicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Inhalation of dust may cause respiratory irritation.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
calciumsilicate	1344-95-2	LL50	>1,000 mg/l	rainbow trout (Oncorhynchus mykiss)	96 h
calciumsilicate	1344-95-2	EL50	410 mg/l	algae (Desmodium subspicatus)	72 h
calciumsilicate	1344-95-2	EL50	>10,000 mg/l	daphnia magna	48 h

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

12.2 Persistence and degradability

Biodegradation

Data are not available.

Persistence

Data are not available.

12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	none
	Class	-
14.4	Packing group	not assigned to a packing group

- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**
The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations**
- Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).**
Not subject to ADR, RID and ADN.
- International Maritime Dangerous Goods Code (IMDG)**
Not subject to IMDG.
- International Civil Aviation Organization (ICAO-IATA/DGR)**
Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Relevant provisions of the European Union (EU)**
- Restrictions according to REACH, Annex XVII**
none of the ingredients are listed
- List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list**
none of the ingredients are listed
- Seveso Directive**
Not assigned.
- Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**
none of the ingredients are listed
- Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**
none of the ingredients are listed
- Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**
none of the ingredients are listed
- Regulation 98/2013/EU on the marketing and use of explosives precursors**
none of the ingredients are listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.
Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.3	<p>Details of the supplier of the safety data sheet: CALSITHERM Silikatbaustoffe GmbH An der Eiche 15 D-33175 Bad Lippspringe Germany</p> <p>Telephone: +49 (0)5254 99092-0 Telefax: +49 (0)5254 99092-17 e-mail: info@calsitherm.de Website: www.calsitherm.de-Mail: reach@silca-online.de website: www.silca-online.de SILCA Italia srl Via Mattei 5/11 30037 Scorze (VE) Italia</p> <p>telephone:+39 (041) 584 122 0 telefax: +39 (041) 447 130 e-mail: info@silca-italia.it website: www.silca-italia.it</p>	<p>Details of the supplier of the safety data sheet: CALSITHERM Silikatbaustoffe GmbH An der Eiche 15 D-33175 Bad Lippspringe Germany</p> <p>Telephone: +49 (0)5254 99092-0 Telefax: +49 (0)5254 99092-17 e-mail: info@calsitherm.de Website: www.calsitherm.de CALSITHERM International GmbH An der Eiche 15 33175 Bad Lippspringe SILCA Service- und Vertriebsgesellschaft für Dämmstoffe mbH Auf dem Hüls 6 40822 Mettmann</p> <p>telephone: +49(0) 2104 9727-0 telefax: +49(0) 2104 9727-25 e-Mail: reach@silca-online.de website: www.silca-online.de SILCA Italia srl Via Mattei 5/11 30037 Scorze (VE) Italia</p> <p>telephone:+39 (041) 584 122 0 telefax: +39 (041) 447 130 e-mail: info@silca-italia.it website: www.silca-italia.it</p>

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Responsible for the safety data sheet

C.S.B. GmbH
Düsseldorfer Str. 113
47809 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-online.de
Website: www.csb-online.de

Disclaimer

This information is based upon the present state of our knowledge.
This SDS has been compiled and is solely intended for this product.